


CABRIO PROTECTOR

Technical Data Sheet



SYMBOL	pH
DP-18	-

Professional hydrophobic sealant for textile cabrio / convertible roofs. Protective coating for sealing textile structure. Unique formula does not allow structure to soak with water. Sealed textile is more resistant to dirt, salt and UV-rays.

APPLICATION:

- cabriolet roofs (textile)

COMPOSITION:

- < 60% alcohols
- < 20% hydrocarbons C₉-C₁₁
- isoalkanes
- excipients
- auxiliary substances

USAGE:

Apply outdoor if possible. Spray evenly onto clean and dry surface. Leave until dry. Test on small area to check color durability.

CLASSIFICATION OF THE MIXTURE:

CABRIO PROTECTOR

Technical Data Sheet



Signal words:
DANGER

Hazard statements:

- H225** – Highly flammable liquid and vapour.
- H304** – May be fatal if swallowed and enters airways.
- H319** – Causes serious eye irritation.
- H336** – May cause drowsiness or dizziness.

Precautionary statements:

- P210** – Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P271** – Use only outdoors or in a well-ventilated area.
- P301+P310** – IF SWALLOWED: Immediately call a POISON CENTER/doctor.
- P331** – Do NOT induce vomiting.
- P405** – Store locked up..

SELL-BY DATE:

12 months from the production date.

Production date/series and expiration date are stated on the packaging.

ADDITIONAL INFORMATION:

Additional information can be found in safety data sheet.

Contaminated containers should be completely emptied. Several times rinse the container promptly after emptying. Empty container can be stored in containers for collection of plastic packaging, or can be delivered to specialized company for recycling.



CABRIO PROTECTOR

Technical Data Sheet

Disposal should be in accordance with the national/international regulations